

**What Is Claimed Is:**

1. A method for conducting private secure electronic commerce comprising the steps of:

providing first and second sequences of encryption key material with said first sequence being  
5 suited for decrypting a message that has been encrypted using said second sequence and said second sequence being suited for decrypting a message that has been encrypted using said first sequence,

10 associating a value parameter with said first sequence,

providing said first sequence to an anonymous user in exchange for a payment,

providing encrypted data communications to said user until said value parameter is exhausted, and

15 adjusting said value parameter in response to said step of providing encrypted data communications.

2. The method as set forth in Claim 1 wherein said first and second sequences are identical one time pads.

3. The method as set forth in Claim 2 wherein said step of adjusting includes adjusting said value parameter in response to utilization of said one time pad of said first sequence such that when said one time pad is  
5 exhausted, said value parameter is exhausted.

4. The method as set forth in Claim 1 wherein said first sequence and said second sequence each include an identical plurality of sequentially arranged session keys.

5. The method as set forth in Claim 4 wherein said step of adjusting includes adjusting said value parameter in response to utilization of said session keys of said first sequence such that when said plurality of  
5 session keys is exhausted, said value parameter is

exhausted.

6. The method as set forth in Claim 5 wherein said step of providing encrypted data communications includes providing user initiated and user terminated connections to said user with said user utilizing a new session key from said plurality of session keys of said first sequence each time said user initiates a said connection.

7. The method as set forth in Claim 5 wherein said step of providing encrypted data communications includes the sub steps of:

providing user initiated and user terminated connections to said user,

monitoring a connection time that is the time that said user is connected, and

requiring said user to utilize a new session key from said plurality of session keys of said first sequence after a predetermined connection time.

8. The method as set forth in Claim 5 wherein said step of providing encrypted data communications includes recording a start time when said providing encrypted data communications first occurs, and requiring said user to utilize a new session key from said plurality of session keys of said first sequence at predetermined intervals after said start time.

9. The method as set forth in Claim 5 wherein said step of providing encrypted data communications includes monitoring a data quantity the is the number of bits of said communications and requiring said user to utilize a new session key from said plurality of session keys of said first sequence after a predetermined data quantity.

10. The method as set forth in Claim 1 wherein said step of providing encrypted data communications includes the substeps of:

receiving a message encrypted by use of said  
 5 first sequence from said user,

decrypting at least a portion of said message by  
 use of said second sequence, and

providing a service to said user in response to  
 said message, and

10 adjusting said value parameter in response to  
 providing said service.

11. The method as set forth in Claim 10 wherein  
 said service is chosen from the group of information,  
 software, goods, communication and calculation.

12. The method as set forth in Claim 1 including  
 the step of providing anonymous network access to said  
 user.

13. The method as set forth in Claim 1 including  
 the step of providing encrypted application services to  
 said user.

14. The method as set forth in Claim 1 wherein  
 said step of providing encrypted data communications  
 includes the substeps of:

generating a response to said user,

5 encrypting said response by use of said second  
 sequence into an encrypted response,

sending said encrypted response to said user,  
 and

10 adjusting said value parameter in response to  
 said step of sending.

15. A method for conducting private secure  
 electronic commerce comprising the steps of:

providing identical one time pad first and  
 second sequences of encryption key material,

5 providing said first sequence to an anonymous  
 user in exchange for a payment,

TOP SECRET FROTHS

receiving a message encrypted by use of said first sequence from said user,

10 decrypting at least a portion of said message by use of said second sequence,

generating a response to said user,

encrypting said response by use of said second sequence into an encrypted response,

15 sending said encrypted response to said user, and

ceasing said sending and receiving when said first and second sequences have been completely used once.

16. A method for conducting private secure electronic commerce comprising the steps of:

5 providing first and second sequences of encryption key material with said first sequence being suited for decrypting data that has been encrypted using said second sequence and said second sequence being suited for decrypting a data that has been encrypted using said first sequence,

10 associating a value parameter with said first sequence,

providing said first sequence to an anonymous user in exchange for a monetary payment proportional to said value parameter,

15 providing encrypted application services to said user,

providing anonymous network access to said user,

adjusting said value parameter in response to said steps of providing encrypted application services and providing anonymous network access, and

20 ceasing said providing encrypted application services and said providing anonymous network access when said value parameter is exhausted.

17. A method for conducting private secure

providing a first server,

5 exchange for a payment, a first sequence of encryption key material, an identifier associated with said first sequence, connection instructions for connecting to said server, and encryption instructions for encrypting and decrypting data using said first sequence,

15           providing encrypted data communications between  
said first user and said first server.

establishing a user initiated connection by said  
5 first user connecting to said first server by using said  
connection instructions,

selecting said second sequence in response to  
10 receiving said identifier,

15           decrypting at least a portion of said encrypted  
user data by using said second sequence,

encrypting server data by using said second sequence, and

transmitting from said first server, to said  
20 first user, said encrypted server data.

19. The method as set forth in Claim 18 further comprising the steps of:

providing third and fourth sequences of  
encryption key material with said third sequence being  
5 suited for decrypting a message that has been encrypted  
using said fourth sequence and said fourth sequence being  
suited for decrypting a message that has been encrypted  
using said third sequence,

providing said third sequence to said first  
10 server,

providing said fourth sequence to a second  
server,

after said step of decrypting at least a portion  
of said encrypted user data, encrypting said user data by  
15 using said third sequence and then transmitting, from said  
first server, to said second server, said encrypted user  
data, and

prior to said step of encrypting server data,  
receiving, at said first server, from said second server,  
20 encrypted server data that was encrypted by using said  
fourth sequence, and decrypting said encrypted server data  
by using said third sequence.

20. The method as set forth in Claim 17 further comprising the steps of:

establishing a first user account accessible to  
said first server with said first user account including  
5 said identifier and a first user value parameter that is  
proportional to said payment, and

adjusting said value parameter in response to  
said step of providing encrypted data communications.

21. The method as set forth in Claim 20 wherein:  
said first server is an application service

provider,

5       said step of providing encrypted data  
communications includes said first server providing  
applications services to said first user, and

      said step of adjusting includes adjusting said  
first user value parameter response to said providing  
applications services.

22. The method as set forth in Claim 21 wherein  
said applications services include no loss gambling with  
said first user value parameter being adjusted in response  
to said first user winning and losing, and with any losses  
5   by said first user being invested and payable at a  
predetermined future date.

23. The method as set forth in Claim 20 wherein:  
      said first server is an Internet service  
provider,

5       said step of providing encrypted data  
communications includes said first server providing  
anonymous Internet access to said first user, and

      said step of adjusting includes adjusting said  
first user value parameter response to said providing  
Internet access.

24. The method as set forth in Claim 23 further  
including the steps of:

      receiving a request for a service from said  
first user,

5       locating on the Internet a service provider that  
will provide said service,

      establishing a service provider user account  
accessible to said first server including a service  
provider value parameter,

10       procuring said service for said first user from  
said service provider, and

adjusting said first user value parameter and said service provider value parameter in response to said step of procuring.

25. The method as set forth in Claim 20 wherein:  
said first server is an email services provider,  
said step of providing encrypted data  
communications includes said first server providing  
5 anonymous email services to said first user, and

said step of adjusting includes adjusting said first user value parameter response to said providing email services.

26. The method as set forth in Claim 17 wherein said step of providing to an anonymous first user includes providing a portable data storage device suitable for access by a data processing device to said first user,  
5 said storage device including said first sequence of encryption key material and said identifier as stored data, and said connection instructions and said encryption instructions as executable software.

27. A method of conducting secured electronic commerce through a server by a first user and said server, utilizing first and second sequences of encryption key material defining a pair of sequences in which each  
5 sequence of the pair is suited for decrypting data that has been encrypted using the other code sequence of the pair, comprising:

providing to said first user said first sequence,

10 providing to said encryption server said second sequence,

establishing an account accessible to said server, wherein said account tracks a value parameter associated with use of said encryption key material of at  
15 least said first sequence,



creating a first message by said first user,  
encrypting said first message by use of said  
first sequence,

transmitting said encrypted first message by  
20 electronic means to said server,

decrypting at least a portion of said encrypted  
first message at said server by use of said second  
sequence,

accessing said account,  
25 adjusting said value parameter of said account  
in response to use of said encryption key material of at  
least said first sequence.

28. The method of conducting secured electronic  
commerce of Claim 27 wherein:

said first sequence comprises a one time pad.

29. The method of conducting secured electronic  
commerce of Claim 27, wherein:

said value parameter for said first sequence  
comprises a monetary value, and

5 said step of adjusting said value parameter  
further comprises decreasing said monetary value in  
response to utilization of encryption key material in said  
step of encrypting said first message.

30. The method of conducting secured electronic  
commerce of Claim 27:

wherein said first message comprises a message  
body portion and a message address portion identifying an  
5 addressed recipient other than said server, and

further comprising:

after said step of decrypting, determining said  
addressed recipient, and

transmitting said message from said server to

2025 RELEASE UNDER E.O. 14176

10 said addressed recipient by electronic means.

31. The method of conducting secured electronic commerce of Claim 30, wherein:

said message body portion comprises preselected data,

5 said addressed recipient comprises a computer programmed to perform a calculation upon said preselected data and produce a result, and

further comprising:

10 creating a response message comprising a result portion containing said result,

transmitting said response message from said addressed recipient to said server by electronic means,

15 receiving said response message at said server, and thereafter encrypting at least said result portion of said response message using said second sequence of encryption key material;

transmitting said encrypted result portion of said response message from said server to said first user by electronic means.

32. The method of conducting secured electronic commerce of Claim 31 wherein said response message further comprises a fee portion indicating a value charged by said addressed recipient for producing said result.

33. The method of conducting secured electronic commerce of Claim 32, wherein:

said value parameter for said first sequence comprises a monetary value; and

5 said step of adjusting said value parameter further comprises decreasing said monetary value in response to said value charged by said addressed recipient for producing said result.

34. Apparatus for conducting secured electronic

commerce comprising:

5 a portable data storage device with stored data including a first sequence of encryption key material, and encryption software operable to encrypt and decrypt data by using said first sequence,

10 a server having a second sequence of encryption key material suitable for decrypting data that has been encrypted using said first sequence and encrypting data such that said data can be decrypted with said first sequence, and

15 a data processing device operable to connect to said portable data storage device, to access said stored data of portable data storage device, to execute said encryption software to encrypt and decrypt data by using said first sequence, to transmit data encrypted by using said first sequence to said server and to receive data encrypted by using said second sequence from said server.

5 35. Apparatus as set forth in Claim 34 wherein said portable storage device includes communications software operable by said data processing device to establish communications between said data processing device and said server.

36. A portable data storage device, suitable for operation with a data processing device, with stored data for conducting secured electronic commerce, comprising:

5 a first sequence of encryption key material suitable for decrypting data that has been encrypted by using a second sequence on a server and encrypting data such that said encrypted data can be decrypted by said server by using said second sequence,

10 encryption software suitable for execution by said data processing device to encrypt and decrypt data by using said first sequence,

an identifier associated with said first sequence for identifying said portable data storage device

2025 RELEASE UNDER E.O. 14176

to said server, and

15                    connection software suitable for execution by  
said data processing device to connect said data  
processing device to said server for encrypted data  
communications therebetween.

37. The portable data storage device as forth in  
Claim 36 further comprising a value associated with said  
first sequence that is adjusted in response to utilization  
of said first sequence.

38. The portable data storage device as forth in  
Claim 36 further comprising a value associated with said  
identifier that is adjusted in response to services  
provided to said server and services provided by said  
5    server.

404620-7924660